

Round Head Wire Collated Coil Nails

APPLICATIONS: Floor and wall framing, siding, decking, sheathing, subflooring, fencing, wood shingles, pallets, boxes and crating.



INTERCHANGE
CN70-15, CN80-15,
CN80F-15



BOSTITCH
N66C, N75C-1, N80C, N80CB, N86C, N89C,
N100C, N100CPP, N400C-1



HITACHI
NV65AB, NV65AC, NV65AE, NV83A,
NV83A2, NV83A3



SENCO
SCN49, SCN60, SCN65, SCN300, SN200,
SCN65XP



MAX
CN70, CN80, CN80F, CN100,
CN665, CN890S, CN890II



MAX
HN90 High Pressure



PASLODE
F275C, F325C, F4250/65CP,
F4275/CN70, 5325/CN80



DUO-FAST
CNW-75, DCN-325/85L



FASCO
F48C CN15W-55, F58 CN15W-70,
F58 CN15W-80, F6AC CN15W-90B



PORTER CABLE
COIL350



MAKITA
AN621, AN901



SPOTNAILS
YCN83

15° Framing and Decking Nails - HWCF Series (Flat Coil, Wire Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/COIL	M/CTN
16207	HWCF06D113	2" x .113 Bright Decking Nail	Diamond	250	6.0 M
16240	HWCF08D113	2-3/8" x .113 Bright Decking Nail	Diamond	250	5.0 M
16243	HWCF08D113-G	2-3/8" x .113 Galvanized Decking Nail	Diamond	250	5.0 M
16134	HWCF08D113-GR	2-3/8" x .113 Galvanized Ring Decking Nail	Diamond	250	5.0 M
16211	HWCF08D113-HDGR	2-3/8" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	250	4.0 M
16177	HWCF08D113-R	2-3/8" x .113 Bright Ring Decking Nail	Diamond	250	5.0 M
16446	HWCF08D113-GR	2-1/2" x .113 Galvanized Ring Decking Nail	Diamond	250	3.0 M
16439	HWCF08D131	2-1/2" x .131 Bright Decking Nail	Diamond	225	4.5 M
16454	HWCF08D148	2-1/2" x .148 Bright Framing Nail	Diamond	225	4.0 M
16250	HWCF09D120-R	2-3/4" x .120 Bright Ring Framing Nail	Diamond	225	4.5 M
16153	HWCF10D120	3" x .120 Bright Framing Nail	Diamond	225	4.5 M
16180	HWCF10D120-G	3" x .120 Galvanized Framing Nail	Diamond	225	4.0 M
16179	HWCF10D120-HDGR	3" x .120 Hot Dip Galvanized Ring Framing Nail	Diamond	225	4.0 M
16458	HWCF10D120-HDGS	3" x .120 Hot Dip Galvanized Screw Framing Nail	Diamond	225	4.0 M
16451	HWCF10D120-R	3" x .120 Bright Ring Framing Nail	Diamond	225	4.5 M
16169	HWCF10D120-S	3" x .120 Bright Screw Framing Nail	Diamond	225	4.5 M
16260	HWCF10D131	3" x .131 Bright Framing Nail	Diamond	225	4.5 M
16164	HWCF12D120	3-1/4" x .120 Bright Framing Nail	Diamond	225	4.0 M
16462	HWCF12D120-S	3-1/4" x .120 Bright Screw Framing Nail	Diamond	225	4.5 M
16474	HWCF12D131	3-1/4" x .131 Bright Framing Nail	Diamond	225	4.0 M
16491	HWCF12D131-HDGR	3-1/4" x .131 Hot Dip Galvanized Ring Framing Nail	Diamond	250	2.5 M
16496	HWCF20D120-S	4" x .120 Bright Screw Framing Nail	Diamond	225	4.5 M

The coating on the HDG nails could be hot dipped zinc, hot dipped wire zinc or thermal diffusion zinc and all comply with ASTM A153 Standards.



**Coil Nails - Wire Collated
(Framing & Decking)**

The tool pictures may vary from actual tool.
The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.
Use this information as a guideline only.

Round Head Wire Collated Coil Nails

APPLICATIONS: Pallet, box, fence and crate assembly and repair.

Coil Nails - Wire Collated (Pallet)



INTERCHANGE
CN55-15, CN70-15, CN80-15



MAX
CN55, CN70,
CN80, CN80F, CN100



BOSTITCH
N57C, N58C-1,
N63CP, N64CP, N70C, N70CB,
N80CB, N100C



SENCO
PalletPro 57, 57FXP, 70, 90
PalletPro 100, 100XP, 130,
SCN49, SCN56, SCN60, SCN60XP,
SCN65, SCN65XP, SCN70



FASCO
F5 CN15W-65,
F5 CN15W-65SK, F5 CN15W-90,
F6AC CN15W-90B,
F48C CN15W-55, F58 CN15W-70,
F58 CN15W-80, R5 CN15W-65



MAGNUM
WCP-57, WCP-57AE,
WCP-64, WCP-70



15° Pallet Nails - HWCF Series (Flat Coil, Wire Collated) 8.0 Pitch - for CN70, CN80 and similar models

ORDER NO.	DESCRIPTION CODE	TOOL	DESCRIPTION	POINT	QTY/COIL	M/CTN
16181	HWCF05D092-SBC	CN70	1-3/4" x .092 Bright Screw Nail	Blunt Chisel	300	9.0 M
16182	HWCF05D092-SBD	CN70	1-3/4" x .092 Bright Screw Nail	Blunt Diamond	300	9.0 M
16744	HWCF06D092-SBC	CN70	2" x .092 Bright Screw Nail	Blunt Chisel	300	9.0 M
16183	HWCF06D092-SBD	CN70	2" x .092 Bright Screw Nail	Blunt Diamond	300	9.0 M
16184	HWCF07D092-SBC	CN70	2-1/4" x .092 Bright Screw Nail	Blunt Chisel	300	9.0 M
16185	HWCF07D092-SBD	CN70	2-1/4" x .092 Bright Screw Nail	Blunt Diamond	300	9.0 M
16230	HWCF04D099-SBC	CN70	1-1/2" X .099 Bright Screw Nail	Blunt Chisel	300	7.2 M
16110	HWCF05D099-SBC	CN70	1-3/4" x .099 Bright Screw Nail	Blunt Chisel	300	9.0 M
16111	HWCF05D099-SBD	CN70	1-3/4" x .099 Bright Screw Nail	Blunt Diamond	300	9.0 M
16115	HWCF06D099-SBC	CN70	2" x .099 Bright Screw Nail	Blunt Chisel	300	9.0 M
16116	HWCF06D099-SBD	CN70	2" x .099 Bright Screw Nail	Blunt Diamond	300	9.0 M
16120	HWCF07D099-SBC	CN70	2-1/4" x .099 Bright Screw Nail	Blunt Chisel	300	9.0 M
16119	HWCF07D099-SBD	CN70	2-1/4" x .099 Bright Screw Nail	Blunt Diamond	300	9.0 M
16125	HWCF08D099-SBC	CN70	2-1/2" x .099 Bright Screw Nail	Blunt Chisel	300	9.0 M
16128	HWCF08D099-SBD	CN70	2-1/2" x .099 Bright Screw Nail	Blunt Diamond	300	9.0 M
16251	HWCF09D099-SBC	CN70	2-3/4" x .099 Bright Screw Nail	Blunt Chisel	300	5.0 M
16254	HWCF09D099-SBD	CN70	2-3/4" x .099 Bright Screw Nail	Blunt Diamond	300	5.0 M
16141	HWCF07D113-SBC	CN70	2-1/4" x .113 Bright Screw Nail	Blunt Chisel	250	9.0 M
16186	HWCF07D113-SBD	CN70	2-1/4" x .113 Bright Screw Nail	Blunt Diamond	250	9.0 M
16237	HWCF08D113-SBC	CN70	2-1/2" X .113 Bright Screw Nail	Blunt Chisel	300	6.0 M
16138	HWCF08D113-SBD	CN70	2-1/2" x .113 Bright Screw Nail	Blunt Diamond	300	6.0 M

15° Pallet Nails - HWCF Series (Flat Coil, Wire Collated) 6.8 Pitch for CN55 and similar models

ORDER NO.	DESCRIPTION CODE	TOOL	DESCRIPTION	POINT	QTY/COIL	M/CTN
16714	HWCF04D092-SBC-X	CN55	1-1/2" x .092 Bright Screw Nail	Blunt Chisel	300	9.0 M
16486	HWCF05D086-SBC	CN55	1-3/4" x .086 Bright Screw Nail, Large Head*	Blunt Chisel	350	14.0 M
16095	HWCF05D086-SBD	CN55	1-3/4" x .086 Bright Screw Nail, Large Head*	Blunt Diamond	350	14.0 M
16087	HWCF05D092-SBC-X	CN55	1-3/4" x .092 Bright Screw Nail, Large Head*	Blunt Chisel	300	9.0 M
16088	HWCF05D092-SBD-X	CN55	1-3/4" x .092 Bright Screw Nail, Large Head*	Blunt Diamond	300	9.0 M
16098	HWCF06D086-SBC-X	CN55	2" x .086 Bright Screw Nail, Large Head*	Blunt Chisel	300	9.0 M
16093	HWCF06D092-SBC-X	CN55	2" x .092 Bright Screw Nail, Large Head*	Blunt Chisel	300	9.0 M
16094	HWCF06D092-SBD-X	CN55	2" x .092 Bright Screw Nail, Large Head*	Blunt Diamond	300	9.0 M
16097	HWCF07D092-SBC-X	CN55	2-1/4" x .092 Bright Screw Nail, Large Head*	Blunt Chisel	300	9.0 M

6.8 pitch is the standard for nails .090 and smaller; nails larger than .090 are 8.0 pitch, but they can be special ordered with a 6.8 pitch. Items designated with a -X in the Description Codes above are special order 6.8 pitch nails.

*The heads on the large head nails are 5.7mm

These INTERCHANGE nails are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

INTERCHANGE

Round Head Wire Collated Coil Nails

APPLICATIONS: Pallets, crating, subflooring, siding, wall and roof sheathing, decking, shingles and fencing.



HITACHI
NV50A1



BOSTITCH
N50C, N55C, N64C, N65C, N65CP,
N65CP-1, N65CP-2



SENCO
SCN55S



MAX
CN550S



SPOTNAILS
VCN50

15° Mini Nails - HWCC Series (Cone Coil, Wire Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/COIL	M/CTN
16305	HWCC03D083	1-1/4" x .083 Bright Nail	Diamond	350	16.0 M
16306	HWCC03D083-R	1-1/4" x .083 Bright Ring Nail	Diamond	350	16.0 M
16307	HWCC03D083-S	1-1/4" x .083 Bright Screw Nail	Diamond	350	16.0 M
16309	HWCC03D083-GR	1-1/4" x .083 Galvanized Ring Nail	Diamond	350	16.0 M
16399	HWCC05D083-GR	1-3/4" x .083 Galvanized Ring Nail	Diamond	350	16.0 M
16415	HWCC06D083-GR	2" x .083 Galvanized Ring Nail	Diamond	350	16.0 M
16411	HWCC06D083-R	2" x .083 Bright Ring Nail	Diamond	350	16.0 M

Round Head Wire Collated Nails: Large Coil for Mounted Tools

APPLICATIONS: Pallet manufacturing.



INTERCHANGE
CN70-PAL

Pallet Manufacturing Systems


Note: Special equipment is required to use the high load nails.



15° Pallet Nails - MWCL Series (High Load, Flat Coil, Wire Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/COIL	M/CTN
16786	MWCL04D099-SBC	1-1/2" x .099 Bright Screw Nail	Blunt Chisel	3000	9.0 M
16788	MWCL05D099-SBC	1-3/4" x .099 Bright Screw Nail	Blunt Chisel	3000	9.0 M
16789	MWCL05D099-SBD	1-3/4" x .099 Bright Screw Nail	Blunt Diamond	3000	9.0 M
16790	MWCL06D099-SBC	2" x .099 Bright Screw Nail	Blunt Chisel	3000	9.0 M
16795	MWCL06D099-SBD	2" x .099 Bright Screw Nail	Blunt Diamond	3000	9.0 M
16791	MWCL07D099-SBC	2-1/4" x .099 Bright Screw Nail	Blunt Chisel	3000	9.0 M
16807	MWCL08D099-SBD	2-1/2" x .099 Bright Screw Nail	Blunt Diamond	3000	9.0 M

INTERCHANGE Nails and Brads



Coil Nails - Wire Collated
(Pallet)

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.

Use this information as a guideline only.

Round Head Wire Collated Coil Nails

APPLICATIONS: Siding, fencing, decking, shingles, subflooring, sheathing, pallets and crating.



INTERCHANGE
CN55-15, CN70-15, CN80-15,
CN565-15



HITACHI
NV65AB, NV65AE, NV65AH, NV75AG



BOSTITCH
N50C, N55C, N64C,
N65CP, N65CP-1, N65CP-2



SENCO
SCN45, SCN49, SCN49XP,
SCN555, SCN56



MAX
CN55, CN550S, CN565D, CN565S,
CN665, CN890S, CN890II



FASCO
F45C CN15W, F48C CN15W-55,
F58 CN15W-70, F58 CN15W-80,
F6AC CN15W-90B, R4 CN15W-50



SPOTNAILS
LCN57, UCNM65



15° Siding and Fencing Nails - HWCF Series (Flat Coil, Wire Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/COIL	M/CTN
15744	HWCF04D090-HDGR	1-1/2" x .090 Hot Dip Galvanized Ring Nail	Diamond	350	3.6 M
16720	HWCF04D092-HDGR	1-1/2" x .092 Hot Dip Galvanized Ring Nail	Diamond	350	3.6 M
16161	HWCF04D099-GR	1-1/2" x .099 Galvanized Ring Nail	Diamond	300	9.0 M
16089	HWCF05D083-GR	1-3/4" x .083 Galvanized Ring Nail	Diamond	350	16.0 M
16736	HWCF05D086-HDGR	1-3/4" x .086 Hot Dip Galvanized Ring Nail	Diamond	350	10.5 M
14685	HWCF05D090-HDGR	1-3/4" x .090 Hot Dip Galvanized Ring Nail	Diamond	350	3.6 M
16066	HWCF05D092-GR	1-3/4" x .092 Galvanized Ring Nail	Diamond	300	3.6 M
16745	HWCF05D092-HDGR	1-3/4" x .092 Hot Dip Galvanized Ring Nail	Diamond	300	3.6 M
16220	HWCF05D099-GR	1-3/4" x .099 Galvanized Ring Nail	Diamond	300	9.0 M
16747	HWCF06D092-GR	2" x .092 Galvanized Ring Nail	Diamond	300	3.6 M
16743	HWCF06D092-HDGR	2" x .092 Hot Dip Galvanized Ring Nail	Diamond	300	3.6 M
16114	HWCF06D099-GR	2" x .099 Galvanized Ring Nail	Diamond	300	9.0 M
16172	HWCF06D099-HDGR	2" x .099 Hot Dip Galvanized Ring Nail	Diamond	300	9.0 M
16753	HWCF07D092-G	2-1/4" x .092 Galvanized Nail	Diamond	300	3.6 M
16764	HWCF07D092-GR	2-1/4" x .092 Galvanized Ring Nail	Diamond	300	3.6 M
16761	HWCF07D092-HDG	2-1/4" x .092 Hot Dip Galvanized Nail	Diamond	300	3.6 M
16766	HWCF07D092-HDGR	2-1/4" x .092 Hot Dip Galvanized Ring Nail	Diamond	300	3.6 M
16130	HWCF08D099-G	2-3/8" x .099 Galvanized Nail	Diamond	300	9.0 M
16127	HWCF08D099-GR	2-3/8" x .099 Galvanized Ring Nail	Diamond	300	9.0 M

The coating on the HDG nails could be hot dipped zinc, hot dipped wire zinc or thermal diffusion zinc and all comply with ASTM A153 Standards.

Not all tools accept the full range of fastener sizes listed. Refer to your tool model's specifications for the fastener size recommendations.

A Note On ACQ (Alkaline Copper Quaternary) and Fastener Recommendations when using Pressure Treated Lumber

On January 1, 2004, government mandates went into effect requiring companies engaged in pressure-treating lumber as a form of preservative to cease using chemical compounds that contain arsenic. Chromated Copper Arsenic, or CCA, was the most common compound used in the market and its use will nearly cease as a result.

In response to this mandate, several formulations have been and will be hitting the market. While they all will conform to the new government standards for toxicity, almost all of them will be extremely corrosive to any form of metal that comes in contact with wood preserved with them. This includes fasteners, framing hardware, strapping and any other metallic objects. Testing to determine

proper recommendations for products that tolerate this corrosive environment have been confusing, contradictory and lacking consensus for the most part.

Until more is understood about the effects of the various formulations on the market with metallic objects in general and fasteners in particular, Interchange Brands, LLC recommends the use of stainless steel as the basis material for fasteners used in pressure-treated lumber. The peace of mind afforded by using stainless steel far outweighs the cost in what is currently an uncertain situation. Fastener failures caused by accelerated corrosion in the applications where preserved lumber is used could have significant consequences that can be avoided by using stainless steel.

Coil Nails - Wire Collated (Siding & Fencing)

These INTERCHANGE nails are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

Round Head Plastic Sheet Collated Coil Nails

APPLICATIONS: Siding, fencing, shingles and decking.



INTERCHANGE
CN565-15



MAX
CN565D, CN565S



MAX
CN890S



HITACHI
NV65AH, NV75AG



BOSTITCH
N63CP, N63CP-1, N63CP-2,
N65CRP, N66C



SENCO
SCN49, SCN49XP,
SCN55S, SCN56



FASCO
F45C CN15W-PS65-CT/SS



MAKITA
AN611

15° Plastic Sheet Collated Coil Nails - MPC Series

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/COIL	M/CTN
16846	MPC06D092-HDG	2" x .092 Hot Dip Galvanized Nail	Diamond	300	6.0 M
16847	MPC06D092-HDGR	2" x .092 Hot Dip Galvanized Ring Nail	Diamond	300	6.0 M
16858	MPC07D092-G	2-1/4" x .092 Galvanized Nail	Diamond	300	4.8 M
16860	MPC07D092-HDG	2-1/4" x .092 Hot Dip Galvanized Nail	Diamond	300	4.8 M
16878	MPC08D092-HDG	2-1/2" x .092 Hot Dip Galvanized Nail	Diamond	300	4.8 M
16880	MPC08D092-HDGR	2-1/2" x .092 Hot Dip Galvanized Ring Nail	Diamond	300	4.8 M

The coating on the HDG nails could be hot dipped zinc, hot dipped wire zinc or thermal diffusion zinc and all comply with ASTM A153 Standards.



DUO-FAST
DF225-C



0° Plastic Sheet Collated Coil Nails - DPC Series

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/COIL	M/CTN
14016	DPC05D086-HDGR	1-7/8" x .086 Hot Dip Galvanized Ring Nail	Diamond	300	3.6M
14018	DPC05D086-SSR	1-7/8" x .086 Stainless Steel Ring Nail	Diamond	300	3.6M
14008	DPC05D092-G	1-7/8" x .092 Galvanized Nail	Diamond	300	9.0 M
14009	DPC05D092-GR	1-7/8" x .092 Galvanized Ring Nail	Diamond	300	9.0 M
14017	DPC05D099-ALUS	1-7/8" x .099 Aluminum Screw Nail	Diamond	300	9.0 M
14020	DPC06D099-S	2" x .099 Bright Screw Nail	Diamond	300	9.0 M
14032	DPC07D099-S	2-1/4" x .099 Bright Screw Nail	Diamond	300	7.2 M
14036	DPC40D148	5" x .148" Bright Nail	Diamond	150	1.8 M

Coil Nails
Plastic Sheet Collated

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.

Use this information as a guideline only.