

18 Gauge Brads

APPLICATIONS: Decorative mouldings, picture frame assembly, trim and cabinet building.



INTERCHANGE
NB5018

INTERCHANGE
NB3518C



SENCO
FinishPro 2N1, FinishPro 15, 15XP,
FinishPro 15Mg,
FinishPro 18, 18XP,
FinishPro 18Mg, FinishPro 25XP



SENCO
LS4, LS5, SLP20, SLP20X, SDN18BR



SENCO
FN55AX, FUSION F-18



HITACHI
NT32AE, NT32AE2, NT45A, NT50AD,
NT50AE, NT50AE2, NT50AE2(S), NT50G



MAX
NF211/18-25, NF211/18-50,
NF221/18-55, NF235-F/18, NF255-ST/18



PASLODE
T125-F18, T200-F18,
Cordless 901000



PASLODE
2138-F18, 2138-F18II,
IM200-F18



BOSTITCH
BT31-1B, BT35B, BT50B, BT125K-2,
BT125SK, BT200K, BT200K-2



BOSTITCH
BT1850K, T29-30, T31-1,
SB-1842BN, SB-1850BN, SB-21N1



DUO-FAST
BB-4440, DBN-4440, DBN-4450,
DBN-40525C, PRO-5,
SureShot 4450, SureShot 4450ST



FASCO
F2B GN-50 F.S., F20 PGN-31CT,
F20 TGN-40CT, F25A GN-40,
F26C GN-50SS, R3C GN-50CT



OMER
12.20, 12.20D, 12.40, 12.50



PORTER CABLE
BN125, BN125A, BN138, BN200,
BN200A, BN200B, BN200V12



MAKITA
AF501, AF502, AF503, AF505



SPOTNAILS
CB1820, CB1832, CB1850, DB1825,
HLB1520BP, TB1840, WB1850,
WB1850LM

18 Gauge Medium Head Brads - PX Series (Similar to Senco AX Series)

Made of Galvanized Wire (Plating before nails are manufactured)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/BOX	M/CTN
23110	PX-12 AX08	1/2" x 18 ga. Brad	Chisel	100	5.0 M	180.0 M
23120	PX-58 AX10	5/8" x 18 ga. Brad	Chisel	100	5.0 M	140.0 M
23130	PX-34 AX11	3/4" x 18 ga. Brad	Chisel	100	5.0 M	120.0 M
23140	PX-78 AX12	7/8" x 18 ga. Brad	Chisel	100	5.0 M	120.0 M
23150	PX-1 AX13	1" x 18 ga. Brad	Chisel	100	5.0 M	100.0 M
23160	PX-1316	1-3/16" x 18 ga. Brad	Chisel	100	5.0 M	80.0 M
23170	PX-114 AX15	1-1/4" x 18 ga. Brad	Chisel	100	5.0 M	80.0 M
23180	PX-112 AX17	1-1/2" x 18 ga. Brad	Chisel	100	5.0 M	60.0 M
23188	PX-158 AX18	1-5/8" x 18 ga. Brad	Chisel	100	5.0 M	60.0 M
23190	PX-134 AX19	1-3/4" x 18 ga. Brad	Chisel	100	5.0 M	50.0 M
23195	PX-2 AX21	2" x 18 ga. Brad	Chisel	100	5.0 M	50.0 M

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.

Use this information as a guideline only.

18 Gauge Brads

APPLICATIONS: Decorative mouldings, picture frame assembly, trim and cabinet building.



SENCO
FinishPro 2N1, FinishPro 25XP



SENCO
LS4, LS5, SLP20/LS1, SLP20XP



SENCO
FUSION F-18



FASCO
F2B GN50, F21P GN-31, F21T GN-40CT

18 Gauge Slight Head Brads - PY Series (Similar to Senco AY Series)

Made of Galvanized Wire (Plating before nails are manufactured)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/BOX	M/CTN
23020	PY-58 AY10	5/8" x 18 ga. Brad	Chisel	100	5.0 M	140.0 M
23030	PY-34 AY11	3/4" x 18 ga. Brad	Chisel	100	5.0 M	120.0 M
23050	PY-1 AY13	1" x 18 ga. Brad	Chisel	100	5.0 M	100.0 M



SENCO
LS1



SENCO
SLP20XP



DUO-FAST
SURE SHOT 2232



FASCO
F21P GA15/31A

18 Gauge Headless Pins - PZ Series (Similar to Senco AZ Series)

Made of Galvanized Wire (Plating before nails are manufactured)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/BOX	M/CTN
23210	PZ-12 AZ08	1/2" x 18 ga. Pin	Chisel	100	5.0 M	180.0 M
23215	PZ-34 AZ11	3/4" x 18 ga. Pin	Chisel	100	5.0 M	120.0 M
23216	PZ-1 AZ13	1" x 18 ga. Pin	Chisel	100	5.0 M	100.0 M

Your COMPLETE Pneumatic Fastening Program!



These INTERCHANGE nails are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

16 Gauge Finish Nails

APPLICATIONS: Paneling and trim, frame assembly, door and window casings and cabinet building.



INTERCHANGE
NF6516



PASLODE
3200-F16, 3250-F16,
IM250-F16, IM250, IM250II



PASLODE
F16200, MU-212-F,
T215-F16, T250-F16, T250S-F16



HITACHI
NT65, NT65A, NT65A2, NT65A3, NT65GB,
NT65GS, NT65M2, NT65M2(S)



BOSTITCH
FN16250K-2, FN1664K,
SB-1664-FN, T35, T35-40,
T36, T36-50, T40-B



BOSTITCH
GFN1664K



SENCO
Finish Pro 32, Finish Pro 32XP



SENCO
FUSION F-16S



MAX
NF352-ST/16-50, NF565/16



DUO-FAST
BFN-740, LFN-748A, LFN-764,
LFN-764A, SureShot 764



FASCO
F3P FN-50, F26AC FN-50,
F26C FN-50SS, FC FN50A,
R3C FN-50CT, R3T FN-70CT



OMER
14.50, 14.63, 14.63NS



PORTER CABLE
CFN250, FN200, FN250, FN250A,
FN250B, FN250C, FN250AK



SPOTNAILS
FB1632, HG1640, KB1564,
WB1650, WB1650LM, XB1564

16 Gauge Medium Head Finish Nails - PB Series (Similar to Paslode F16 Series)

Made of Galvanized Wire (Plating before nails are manufactured)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/BOX	M/CTN
21206	PB16-34	3/4" x 16 ga. Finish Nail	Chisel	50	2.5 M	60.0 M
21211	PB16-1	1" x 16 ga. Finish Nail	Chisel	50	2.5 M	50.0 M
21231	PB16-114	1-1/4" x 16 ga. Finish Nail	Chisel	50	2.5 M	40.0 M
21241	PB16-112	1-1/2" x 16 ga. Finish Nail	Chisel	50	2.5 M	30.0 M
21251	PB16-134	1-3/4" x 16 ga. Finish Nail	Chisel	50	2.5 M	30.0 M
21261	PB16-2	2" x 16 ga. Finish Nail	Chisel	50	2.5 M	30.0 M
21262	PB16-2-SS	2" x 16 ga. Finish Nail Stainless Steel	Chisel	50	2.5 M	25.0 M
21271	PB16-214	2-1/4" x 16 ga. Finish Nail	Chisel	50	2.5 M	25.0 M
21281	PB16-212	2-1/2" x 16 ga. Finish Nail	Chisel	50	2.5 M	25.0 M

Not all tools referenced in this catalog accept the full range of fastener sizes. Some of the tools shown may be older versions of current tools and are no longer available for sale. The older models are listed to help our customers identify the fasteners their older tools may shoot. We recommend that you refer to your tool's operators manual for the fastener specifications and size information for your tool.



The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.

Use this information as a guideline only.

15 Gauge Angled Finish Nails

APPLICATIONS: Paneling and trim, frame assembly, door and window casings and cabinet building.



Angled Finish Nails



INTERCHANGE
NF6515-34



SENCO
FinishPro 35, 35MG, FinishPro 41XP,
FinishPro 42XP, SFN1, SFN1+, SFN30,
SFN40, SN1, SFN2, SFN2B



SENCO
FUSION FN65DA,
FUSION F-15



SENCO
GT65DA



HITACHI
NT65AA, NT65GA, NT65MA,
NT65MA2,



NT65MA3, NT65MA4, NT65MA4(S)
BOSTITCH
DA1564K



DUO-FAST
DAFN-6480



FASCO
F3C BA-50, F4 BA-65, F4BA-65CT,
R3C BA-50C, R4 BA-65CT



MAKITA
AF631, AF632, AF633



MAX
NF510/15-50, NF550/15-65,
NF665/15



PORTER CABLE
CDA250, DA250, DA250A,
DA250B, DA250C, DAFN-6480



SPOTNAILS
KBA1564, XBA1564, XBFN64



15 Gauge 34° Angled Finish Nails - DA Series Tape Collation (Similar to Senco DA Series)

Made of Bright Wire (Galvanized plating after nails are manufactured) **unless specified otherwise. Galvanized items are Electro Galvanized.**

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/BOX	M/CTN
22115	DA13	1" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
22125	DA15	1-1/4" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
22135	DA17	1-1/2" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
22136	DA17-G	1-1/2" x 15 ga. Electro-Galvanized Finish Nail	Chisel	100	4.0 M	16.0 M
22138	DA17-HT	1-1/2" x 15 ga. Heat Treated Finish Nail	Chisel	100	4.0 M	16.0 M
22145	DA19	1-3/4" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
22146	DA19-G	1-3/4" x 15 ga. Electro-Galvanized Finish Nail	Chisel	100	4.0 M	16.0 M
22147	DA19-HT	1-3/4" x 15 ga. Heat Treated Finish Nail	Chisel	100	4.0 M	16.0 M
22155	DA21	2" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
22156	DA21-G	2" x 15 ga. Electro-Galvanized Finish Nail	Chisel	100	4.0 M	16.0 M
22163	DA21-SS	2" x 15 ga. Stainless Steel Finish Nail	Chisel	100	4.0 M	16.0 M
22165	DA23	2-1/4" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
22175	DA25	2-1/2" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
22176	DA25-G	2-1/2" x 15 ga. Electro-Galvanized Finish Nail	Chisel	100	4.0 M	16.0 M
22177	DA25-SS	2-1/2" x 15 ga. Stainless Steel Finish Nail	Chisel	100	4.0 M	16.0 M



Interchange Industrial Fasteners

The tools shown on page IN-18 shoot both Standard DA Brads and Industrial DA Brads.



15 Gauge 34° Angled Finish Nails - DA Series Tape Collation (Similar to Senco DA Series)

Made of Bright Wire (Galvanized plating after nails are manufactured) **unless specified otherwise. Galvanized items are Electro Galvanized.**

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/BOX	M/CTN
24110	DA15-I	1-1/4" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
24115	DA17-I	1-1/2" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
24130	DA21-I	2" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
24135	DA21-G-I	2" x 15 ga. Electro-Galvanized Finish Nail	Chisel	100	4.0 M	16.0 M
24145	DA25-I	2-1/2" x 15 ga. Finish Nail	Chisel	100	4.0 M	16.0 M
24150	DA25-G-I	2-1/2" x 15 ga. Electro-Galvanized Finish Nail	Chisel	100	4.0 M	16.0 M

These INTERCHANGE nails are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

15 Gauge Angled Finish Nails

APPLICATIONS: Paneling and trim, frame assembly, door and window casings and cabinet building.



BOSTITCH
N60FN, N62FN, N62FNK-2



MAX
NF510/15-50



SPOTNAILS
XBA1564



15 Gauge 25° Angled Finish Nails - BA Series Glue Collation

Made of Galvanized Wire (Plating before nails are manufactured)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/BOX	M/CTN
22030	BA-114	1-1/4" x 15 ga. Finish Nail	Chisel	50	3.5 M	14.0 M
22040	BA-112	1-1/2" x 15 ga. Finish Nail	Chisel	50	3.5 M	14.0 M
22050	BA-134	1-3/4" x 15 ga. Finish Nail	Chisel	50	3.5 M	14.0 M
22060	BA-2	2" x 15 ga. Finish Nail	Chisel	50	3.5 M	14.0 M
22070	BA-214	2-1/4" x 15 ga. Finish Nail	Chisel	50	3.5 M	14.0 M
22080	BA-212	2-1/2" x 15 ga. Finish Nail	Chisel	50	3.5 M	14.0 M

23 Gauge Micro Pins

APPLICATIONS: Finish, trim, cabinets, mirror and picture frames.



INTERCHANGE
NP3523



GREX
P635



CADEX
CPB23.50



SENCO
FINISH PRO 10,
FINISH PRO 11, SHP10



MAX
NF235A23-25



BOSTITCH
HP118K



HITACHI
NP35A




DUO-FAST
SURE SHOT 2336



FASCO
F1B A64 12/18,
F23 A64-35PB,
F23C A64-50PB



PORTER CABLE
PIN100
PIN138



SPOTNAILS
SP2340



23 Gauge Galvanized Headless Micro Pins - MP23 Series (Similar to Senco CZ Series)

Made of Galvanized Wire

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/BOX	M/CTN
23220	MP23-12-I	1/2" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M
23225	MP23-58-I	5/8" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M
23219	MP23-34-I	3/4" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M
23234	MP23-1-I	1" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M
23235	MP23-1316-I	1-3/16" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M
23236	MP23-114-I	1-1/4" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M
23238	MP23-138-I	1-3/8" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M
23240	MP23-112-I	1-1/2" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M
23242	MP23-2-I	2" x 23 ga. Micro Pin	Diamond	120	10.0 M	100.0 M



Angled Finish Nails

Micro Pins

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.

Use this information as a guideline only.