


Clipped Head Wire Collated Strip Nails

APPLICATIONS: Framing, subflooring, decking, sheathing, siding, truss construction and fencing.



INTERCHANGE
NSC83-28



BOSTITCH
F28WW, N16, N70S, N79WW, N80S,
N80SB, N86S, N88WW, N88WWB, N100S



HITACHI
NR90AF



MAX
SN883CH/28, SN890CH/28




DUO-FAST
CN-325B



FASCO
F5C HHN 28-90, F6 HHN 28-90,
R5C HHN 28-90SS-CT



PORTER CABLE
FM350, FM350A



28° Clipped Head Strip Nails - BW Series (Wire Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/CTN
10011	BW06D113	2" x .113 Bright Decking Nail	Diamond	25	2.0 M
10022	BW06D113-R	2" x .113 Bright Ring Decking Nail	Diamond	25	2.0 M
10023	BW06D113-G	2" x .113 Galvanized Decking Nail	Diamond	25	2.0 M
10035	BW06D113-HDGR	2" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	25	2.0 M
10041	BW08D113	2-3/8" x .113 Bright Decking Nail	Diamond	25	2.0 M
10051	BW08D113-R	2-3/8" x .113 Bright Ring Decking Nail	Diamond	25	2.0 M
10061	BW08D113-G	2-3/8" x .113 Galvanized Decking Nail	Diamond	25	2.0 M
10077	BW08D113-HDGR	2-3/8" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	25	2.0 M
10081	BW10D120	3" x .120 Bright Framing Nail	Diamond	25	2.0 M
10106	BW10D120-G	3" x .120 Galvanized Framing Nail	Diamond	25	2.0 M
10099	BW10D120-HDGR	3" x .120 Hot Dip Galvanized Ring Framing Nail	Diamond	25	2.0 M
10101	BW10D131	3" x .131 Bright Framing Nail	Diamond	25	2.0 M
10111	BW10D131-G	3" x .131 Galvanized Framing Nail	Diamond	25	2.0 M
10121	BW12D120	3-1/4" x .120 Bright Framing Nail	Diamond	25	2.0 M
10131	BW12D131	3-1/4" x .131 Bright Framing Nail	Diamond	25	2.0 M
10141	BW12D131-G	3-1/4" x .131 Galvanized Framing Nail	Diamond	25	2.0 M
10143	BW12D131-HDGR	3-1/4" x .131 Hot Dip Galvanized Ring Framing Nail	Diamond	25	2.0 M
10151	BW16D131	3-1/2" x .131 Bright Framing Nail	Diamond	25	2.0 M
10161	BW16D131-G	3-1/2" x .131 Galvanized Framing Nail	Diamond	25	2.0 M

Some items may be available as Electro-Galvanized.

The coating on the HDG nails could be hot dipped zinc, hot dipped wire zinc or thermal diffusion zinc and all comply with ASTM A153 Standards.

NAILS

STANDARD - Nails are Bright Wire, Smooth Shank and Diamond Point unless otherwise specified

Other Finishes:

Red highlighted items are Stainless Steel (SS) 304 Grade

Blue highlighted items are Hot Dip Galvanized (HDG) ASTM A153

Yellow highlighted items are Electro-Galvanized (G) ASTM A641

Gray highlighted items are Heat Treated (HT) or High Carbon (HC)

Strip Nails
Wire Collated

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.

Use this information as a guideline only.

INTERCHANGE

Clipped Head and Offset Round Head Paper Tape Collated Strip Nails

APPLICATIONS: Framing, decking, sheathing, siding, truss construction and fencing.

Strip Nails
Paper Tape Collated



INTERCHANGE
NSC83-34



SENCO
SN2, SN2+, SN3, SN4,
SN70, SN325, SN325+



SENCO
FramePro 601/651, FramePro 701XP/751XP,
SN901XP, SN951XP



SENCO
GT90CH



PASLODE
5300, 5325, 5350, 5350-90S Power
Master, GK312, GN212, SK312



PASLODE
325CT, 5350S, 900420, CF325 (902200),
IMCT, Impulse 325, Impulse 300,
Impulse 350, PF250S



PASLODE
F350S Power Master Plus,
F400S Power Master Plus, PF350S



HITACHI
NR83AA, NR83AA2, NR83AA3,
NR83AA3(S)



HITACHI
NR90AA, NR90AD, NR90AD(S),
NR90ADPR



HITACHI
NR90GC



MAX
SN883CH/34, SN890CH/34, SN890CH2/34



MAX
GS683CH-EX



BOSTITCH
F33PT, LPF33PT, N79PT, N90PT



FASCO
F5C, F6 HHN 31-90, F6AC HHN31,
R5C HHN 31-90SS-CT



MAKITA
AN942, AN943



PORTER CABLE
FC350, FC350A



SPOTNAILS
NTD90, YTD90

The fasteners that fit these tools are listed on the next page.

These INTERCHANGE nails are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.



Interchange Brands hot dipped galvanized PT and PTOR nails meet the requirements of the 1991 ICBO Uniform Building Code (UBC) standards for power driven nails as specified in Table 25-17-T in Part IV. Furthermore, they exceed ASTM A641-91, Class II specifications for coating weight, which calls for a .5 ounce/ft².

Interchange hot dipped galvanized nail specification calls for a minimum thickness of 1.0 ounce/ft², doubling Class II specifications, exceeding ASTM A641-91, Class III.




Interchange Brands **RedLock** red coating fasteners have increased withdrawal values and are tested to exceed most standard coating holding power by at least 40%.




Clipped Head & Offset Round Head Paper Tape Collated Strip Nails

APPLICATIONS: Framing, decking, sheathing, siding, truss construction and fencing.



34° Clipped Head Strip Nails - PT Series (Paper Tape Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/CTN
10410	PT06D113	2" x .113 Bright Decking Nail	Diamond	37	5.0 M
10430	PT06D113-G	2" x .113 Galvanized Decking Nail	Diamond	37	5.0 M
10440	PT06D113-GR	2" x .113 Galvanized Ring Decking Nail	Diamond	37	5.0 M
10435	PT06D113-HDG	2" x .113 Hot Dip Galvanized Decking Nail	Diamond	37	5.0 M
10445	PT06D113-HDGR	2" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	37	5.0 M
10420	PT06D113-R	2" x .113 Bright Ring Decking Nail	Diamond	37	5.0 M
10450	PT07D113-HC	2-1/4" x .113 High Carbon Decking Nail	Diamond	37	1.0 M
10460	PT08D113	2-3/8" x .113 Bright Decking Nail	Diamond	37	5.0 M
10480	PT08D113-G	2-3/8" x .113 Galvanized Decking Nail	Diamond	37	5.0 M
10490	PT08D113-GR	2-3/8" x .113 Galvanized Ring Decking Nail	Diamond	37	5.0 M
10485	PT08D113-HDG	2-3/8" x .113 Hot Dip Galvanized Decking Nail	Diamond	37	5.0 M
10495	PT08D113-HDGR	2-3/8" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	37	5.0 M
10470	PT08D113-R	2-3/8" x .113 Bright Ring Decking Nail	Diamond	37	5.0 M
10494	PT08D120	2-3/8" x .120 Bright Decking Nail	Diamond	37	5.0 M
10491	PT08D120-HDG	2-3/8" x .120 Hot Dip Galvanized Decking Nail	Diamond	37	5.0 M
10492	PT08D120-HDGR	2-3/8" x .120 Hot Dip Galvanized Ring Decking Nail	Diamond	37	5.0 M
10496	PT08D120-R	2-3/8" x .120 Bright Ring Decking Nail	Diamond	37	5.0 M
10500	PT10D120	3" x .120 Bright Framing Nail	Diamond	37	2.5 M
10515	PT10D120-G	3" x .120 Galvanized Framing Nail	Diamond	37	2.5 M
10520	PT10D120-GR	3" x .120 Galvanized Ring Framing Nail	Diamond	37	2.5 M
10524	PT10D120-HDG	3" x .120 Hot Dip Galvanized Framing Nail	Diamond	37	2.5 M
10525	PT10D120-HDGR	3" x .120 Hot Dip Galvanized Ring Framing Nail	Diamond	37	2.5 M
10510	PT10D120-R	3" x .120 Bright Ring Framing Nail	Diamond	37	2.5 M
10530	PT10D131	3" x .131 Bright Framing Nail	Diamond	37	2.5 M
10540	PT10D131-G	3" x .131 Galvanized Framing Nail	Diamond	37	2.5 M
10545	PT10D131-HDG	3" x .131 Hot Dip Galvanized Framing Nail	Diamond	37	2.5 M
10546	PT10D131-HDGR	3" x .131 Hot Dip Galvanized Ring Framing Nail	Diamond	37	2.5 M
10537	PT10D131-R	3" x .131 Bright Ring Framing Nail	Diamond	37	2.5 M
10535	PT10D131-S	3" x .131 Bright Screw Framing Nail	Diamond	37	2.5 M
10547	PT12D120	3-1/4" x .120 Bright Framing Nail	Diamond	37	2.5 M
10548	PT12D120-GR	3-1/4" x .120 Galvanized Ring Framing Nail	Diamond	37	2.5 M
10549	PT12D120-HDGR	3-1/4" x .120 Hot Dip Galvanized Ring Framing Nail	Diamond	37	2.5 M
10550	PT12D131	3-1/4" x .131 Bright Framing Nail	Diamond	37	2.5 M
10560	PT12D131-G	3-1/4" x .131 Galvanized Framing Nail	Diamond	37	2.5 M
10565	PT12D131-HDG	3-1/4" x .131 Hot Dip Galvanized Framing Nail	Diamond	37	2.5 M
10567	PT12D131-HDGR	3-1/4" x .131 Hot Dip Galvanized Ring Framing Nail	Diamond	37	2.5 M
10555	PT12D131-R	3-1/4" x .131 Bright Ring Framing Nail	Diamond	37	2.5 M
10570	PT16D131	3-1/2" x .131 Bright Framing Nail	Diamond	37	2.5 M
10580	PT16D131-G	3-1/2" x .131 Galvanized Framing Nail	Diamond	37	2.5 M
10585	PT16D131-HDG	3-1/2" x .131 Hot Dip Galvanized Framing Nail	Diamond	37	2.5 M



The coating on the HDG nails could be hot dipped zinc, hot dipped wire zinc or thermal diffusion zinc and all comply with ASTM A153 Standards.

34° Offset Round Head Strip Nails - PTOR Series (Paper Tape Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/CTN
10678	PTOR06D113-HDG	2" x .113 Hot Dip Galvanized Decking Nail	Diamond	37	5.0 M
10680	PTOR06D113-HDGR	2" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	37	5.0 M
10681	PTOR08D113	2-3/8" x .113 Bright Decking Nail	Diamond	37	5.0 M
10682	PTOR08D113-HDG	2-3/8" x .113 Hot Dip Galvanized Decking Nail	Diamond	37	5.0 M
10684	PTOR08D113-HDGR	2-3/8" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	37	5.0 M
10683	PTOR08D113-R	2-3/8" x .113 Bright Ring Decking Nail	Diamond	37	5.0 M
10686	PTOR10D120	3" x .120 Bright Framing Nail	Diamond	37	2.5 M
10688	PTOR10D120-HDG	3" x .120 Hot Dip Galvanized Framing Nail	Diamond	37	2.5 M
10692	PTOR10D120-HDGR	3" x .120 Hot Dip Galvanized Ring Framing Nail	Diamond	37	2.5 M
10694	PTOR10D131	3" x .131 Bright Framing Nail	Diamond	37	2.5 M
10696	PTOR10D131-HDG	3" x .131 Hot Dip Galvanized Framing Nail	Diamond	37	2.5 M
10698	PTOR10D131-HDGR	3" x .131 Hot Dip Galvanized Ring Framing Nail	Diamond	37	2.5 M
10699	PTOR12D131	3-1/4" x .131 Bright Framing Nail	Diamond	37	2.5 M
10700	PTOR12D131-HDG	3-1/4" x .131 Hot Dip Galvanized Framing Nail	Diamond	37	2.5 M
10705	PTOR16D131	3-1/2" x .131 Bright Framing Nail	Diamond	37	2.5 M

Strip Nails
Paper Tape Collated

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools.

Use this information as a guideline only.