


Collated Screws



DRYWALL SCREWS

Drywall to Wood Page ISC-3

Bugle Head, #2 Phillips Drive, Coarse Thread, Sharp Point, Gray Phosphate

Drywall to Light Gauge Steel Page ISC-3

Bugle Head, #2 Phillips Drive, Fine Thread, Sharp Point, Gray Phosphate

FLOORING SCREWS

Interior Wood to Wood Page ISC-4

Flat Head, #2 Square Drive, Full Coarse Thread, Sharp Point, Yellow Zinc

Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Sharp Point, Yellow Zinc

METAL SCREWS

Metal to Metal Page ISC-4

Modified Flat Pan Head, #3 Square Recess Drive, Fine Thread, Self-Drilling Point, Yellow Zinc

SHEATHING SCREWS

Sheathing to Light Gauge Steel Page ISC-5

Flat Head, #2 Square Drive, Fine Thread, Sharp Point, Clear Zinc

Sheathing to Heavy Gauge Steel Page ISC-5

Modified Wafer Head with Nibs, #2 Square Drive, Fine Thread, Winged Drill Point, Clear Zinc

UNDERLAYMENT SCREWS

Cement Backer Board to Wood Page ISC-5

Flat Modified Wafer Head with Nibs, #2 Square Drive, High-Low Thread, Spoon Point, E-coating

COMPOSITE OR WOOD DECKING SCREWS

Trim Head - Wood or Composite with Wax Lube Page ISC-6

Modified Trim Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, E-coating

Composite Anti-Mushroom Head Page ISC-6


Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, E-coating: Gray, Tan, Red or Brown

WOOD DECKING SCREWS

All Purpose Exterior Wood to Wood with Wax Lube Page ISC-7

Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, E-coating

Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, Stainless Steel



Collated Screws

For best results, Interchange Brands recommends that stainless steel fasteners be used for corrosion resistance in exterior use and for ACQ treated lumber applications.

Our E-coated fasteners meet or exceed the minimum requirements for coating weight and thickness as outlined in ASTM A 641: Standard Specifications for Zinc-Coated (Galvanized) Carbon Steel Wire.



INTERCHANGE



INTERCHANGE
Collated Screws also fit
TyREX™
Tools



DURASPIN
DS212-18V, DS215-18V, D3212-18V



DURASPIN
DS232-AC, DS235-AC, DS332-AC



DURASPIN
DS425-AC, DS440-AC



DURASPIN
DS220 2" Auto-feed Screwdriver Attachment

DURASPIN
DS320 3" Auto-feed Screwdriver Attachment

GRABBER



GRABBER 05 SERIES



GRABBER 55 SERIES



GRABBER 75 SERIES



GRABBER 80 SERIES



GRABBER 85 SERIES



PAM P13K



PAM PC12



PAM SX2K



PAM P13KDE



PAM P13KUE

Tools	Primary Applications
Grabber	
SuperDrive 05 Series	Metal Framing
SuperDrive 55 Series	Drywall and Subfloor
SuperDrive 75 Series	Subfloor and Decking
SuperDrive 80 Series	Drywall and Metal Framing
SuperDrive 85 Series	Metal Roof Deck and Metal Framing
Pam Fastening	
P13K	Drywall to Wood or Steel: Decking, Roof Tile, Crating, Subfloor, Fiber Cement, Steel Framing
P13KDE	Decking, Subfloor
P13KUE	Drywall to Wood or Steel: Decking, Subfloor, Roof Tile, Siding
PC12	Drywall to Wood or Steel
SX2K	Subfloor, Drywall
Senco DuraSpin	
DS162-14V*	Drywall
DS200*	Cement Board, Drywall, Underlayment, Floor Sheathing, Wood
DS200-14V*	Drywall, Underlayment, Floor Sheathing
DS200-AC*	Cement Board, Decking, Drywall, Fencing, Underlayment, Floor Sheathing
DS200-S2*	Cement Board, Drywall, Underlayment, Floor Sheathing
DS200-S4*	Drywall, Wood
DS202-14V*	Drywall, Wood
DS205-14V*	Drywall
DS212-18V	Metal Framing, Cement Board, Drywall to Wood or Steel, Subfloor, Underlayment, Wood Decking, Sheathing to Steel
DS215-18V	Drywall to Wood or Steel, Underlayment, Cement Board,
DS232-AC	Metal Framing, Cement Board, Drywall to Wood or Steel, Subfloor, Underlayment, Wood or Composite Decking

Tools	Primary Applications
DS235-AC	Drywall to Wood or Steel, Underlayment, Cement Board, Subfloor, Wood Decking
DS275-18V*	Cement Board, Decking, Drywall, Fencing, Underlayment, Floor Sheathing
DS300*	Exterior Decks, Cement Board, Floor Sheathing
DS300-AC*	Subfloor, Wood Decking, Composite Decking, Cement Board, Underlayment, Sheathing to Steel, Metal Framing, Structural Steel Decking, Rigid Foam Installation
DS300-S2*	Exterior Decks, Cement Board, Floor Sheathing, Wood
DS300-S4*	Floor Sheathing
DS300-24V*	Cement Board, Decking, Underlayment, Floor Sheathing
DS312-18V	Wood Decking, Drywall to Wood or Steel, Subfloor, Underlayment, Metal Framing, Composite Decking, Cement Board, Sheathing to Steel
DS322-AC*	Drywall to Wood or Steel, Subfloor, Wood Decking, Composite Decking, Cement Board, Underlayment, Sheathing to Steel, Metal Framing, Structural Steel Decking, Rigid Foam Installation
DS332-AC	Wood Decking, Composite Decking, Sheathing to Steel, Drywall to Wood or Steel, Subfloor, Underlayment, Metal Framing, Cement Board
DS425-AC	Metal Framing, Wood Decking, Composite Decking, Cement Board, Sheathing to Steel, Drywall to Wood or Steel, Subfloor, Underlayment
DS440-AC	Subfloor, Underlayment, Wood Decking, Cement Board, Drywall to Wood or Steel

Tools	Primary Applications
Tyrex <i>these tools have been discontinued</i>	
D404-14V*	Drywall/Densglass®, Cement Board, Sheathing, Underlayment, Wire Lath, Crating/Pallet Manufacturing, Drywall/Densglass®
D550-18V*	Sheathing, Cement Board, Fencing, Decking, Underlayment, Drywall/Densglass®
D600-AC*	Decking, Subfloor, Cement Board, Sheathing, Underlayment
D600ATT*	Decking, Subfloor, Cement Board, Sheathing, Underlayment
DCF5000*	Sheathing, Cement Board, Underlayment, Crating/Pallet Manufacturing, Steel Fastening, Drywall/Densglass®, Wire Lath
TY0100*	Metal To Metal, Metal Roofing & Siding, Truss Manufacturing
TY0200*	Metal To Metal, Sheathing, Drywall/Densglass®
TY0300*	Metal To Metal, Metal Roofing & Siding, Metal Decking, Subfloor Sheathing, Decking
TY5100*	Drywall/Densglass®, Sheathing, Cement Board, Underlayment, Crating/Pallet Manufacturing
TY5300*	Sheathing, Decking, Cement Board, Underlayment, Crating/Pallet Manufacturing, Drywall/Densglass®
TY9000*	Drywall/Densglass®, Cement Board, Sheathing, Underlayment, Wire Lath

* discontinued models

Screw Systems

Drywall Screws

APPLICATION: Drywall to wood, light gauge steel and heavy gauge steel.

Drywall to Wood



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46300	IS06A12SP	#6x1-1/4" Bugle Head, #2 Phillips Drive, Coarse Thread, Sharp Point, Gray Phosphate	1,000	6,000
46301	IS06A12SPB	#6x1-1/4" Bugle Head, #2 Phillips Drive, Coarse Thread, Sharp Point, Gray Phosphate	NA	4,000
46305	IS06A162P	#6x1-5/8" Bugle Head, #2 Phillips Drive, Coarse Thread, Sharp Point, Gray Phosphate	1,000	6,000
46306	IS06A162PB	#6x1-5/8" Bugle Head, #2 Phillips Drive, Coarse Thread, Sharp Point, Gray Phosphate	NA	4,000

Fits These Tools and Others...

DURASPIN

DS232-AC, DS235-AC, DS322-AC, DS300-AC, DS440-AC, DS425-AC, DS200, DS200-AC, DS200-S2, DS200-S4, DS300-S2, DS300-S4

DURASPIN

DS215-18V, DS212-18V, DS312-18V, DS162-14V, DS200-14V, DS202-14V, DS205-14V, DS275-18V, DS300-24V

TYREX

D404-14V, D550-18V, DCF5000, TY0200, TY0300, TY5100, TY5300, TY9000

GRABBER

SuperDrive 55 SERIES, SuperDrive 75 SERIES, SuperDrive 80 SERIES (to 1-1/4")

PAM

P13K, PC12, SX2K

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46355	IS07A200P	#7x2" Bugle Head, #2 Phillips Drive, Coarse Thread, Sharp Point, Gray Phosphate	1,000	6,000

Fits These Tools and Others...

DURASPIN

DS235-AC, DS232-AC, DS322-AC, DS300-AC, DS440-AC, DS425-AC, DS200, DS200-AC, DS200-S2, DS200-S4, DS300-S2, DS300-S4

DURASPIN

DS215-18V, DS212-18V, DS312-18V, DS162-14V, DS200-14V, DS202-14V, DS205-14V, DS275-18V, DS300-24V

TYREX

D404-14V, D550-18V, DCF5000, TY0200, TY0300, TY5100, TY5300, TY9000

GRABBER

SuperDrive 55 SERIES, SuperDrive 75 SERIES

PAM

P13K, PC12, SX2K

Drywall to Light Gauge Steel



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46265	IS06B12SP	#6x1-1/4" Bugle Head, #2 Phillips Drive, Fine Thread, Sharp Point, Gray Phosphate	1,000	6,000
46270	IS06B162P	#6x1-5/8" Bugle Head, #2 Phillips Drive, Fine Thread, Sharp Point, Gray Phosphate	1,000	6,000

Fits These Tools and Others...

DURASPIN

DS235-AC, DS232-AC, DS322-AC, DS300-AC, DS440-AC, DS425-AC, DS200, DS200-AC, DS200-S2, DS200-S4, DS300, DS300-S2, DS300-S4

DURASPIN

DS212-18V, DS312-18V, DS162-14V, DS200-14V, DS202-14V, DS205-14V, DS275-18V, DS300-24V

TYREX

D404-14V, D550-18V, DCF5000, TY0200, TY0300, TY5100, TY5300, TY9000

GRABBER

SuperDrive 55 SERIES, SuperDrive 75 SERIES, SuperDrive 80 SERIES (to 1-1/4")

PAM

P13K, PC12, SX2K

SCREWS

Red highlighted items are Stainless Steel (SS) 304 Grade

Yellow highlighted items are Galvanized (G) ASTM A641



Bulk Screws to fit your application's specifications are also available. Ask your Account Manager for more details.

Drywall Screws

The tool pictures shown on page ISC-2 may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the tools. Use this information as a guideline only.

For information, contact your INTERCHANGE Brands representative.

Flooring Screws

APPLICATIONS: Interior wood to wood.

Interior Wood to Wood



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46370	IS08F150Y	#8x1-1/2" Flat Head, #2 Square Drive, Full Coarse Thread, Sharp Point, Yellow Zinc	1,000	6,000



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46325	IS08F175Y	#8x1-3/4" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Sharp Point, Yellow Zinc	1,000	6,000
46320	IS08F200Y	#8x2" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Sharp Point, Yellow Zinc	1,000	6,000
46330	IS10F200Y	#10x2" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Sharp Point, Yellow Zinc	1,000	6,000

Fits These Tools and Others...

DURASPIN

DS325-AC, DS232-AC, DS322-AC, DS300-AC, DS440-AC, DS425-AC, DS200, DS200-AC, DS200-S2, DS200-S4, DS300, DS300-S2, DS300-S4

DURASPIN

DS212-18V, DS312-18V, DS200-14V, DS202-14V, DS275-18V, DS300-24V

TYREX

D404-14V, D550-18V, D600-AC, D600ATT, DCF5000, TY0300, TY5100, TY5300, TY9000

GRABBER

SuperDrive 55 SERIES
SuperDrive 75 SERIES

PAM

P13KDE, P13KUE, SX2K

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46180	IS08F250Y	#8x2-1/2" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Sharp Point, Yellow Zinc	800	4,800

Fits These Tools and Others...

DURASPIN

DS322-AC, DS300-AC, DS440-AC, DS425-AC, DS300, DS300-S2, DS300-S4

DURASPIN

DS312-18V, DS275-18V, DS300-24V

TYREX

D550-18V, D600-AC, D600ATT, TY0300, TY5300

GRABBER

SuperDrive 75 SERIES

PAM

P13KDE, P13KUE

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46185	IS08F300Y	#8x3" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Sharp Point, Yellow Zinc	800	4,800

Fits These Tools and Others...

DURASPIN

DS322-AC, DS300-AC, DS440-AC, DS425-AC, DS300, DS300-S2, DS300-S4

DURASPIN

DS312-18V, DS275-18V, DS300-24V

TYREX

D550-18V, D600-AC, D600ATT, TY0300, TY5300

GRABBER

SuperDrive 75 SERIES

PAM

P13KDE, P13KUE

Interior Wood to Wood Screws and Metal Screws

These INTERCHANGE screws are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

Metal Screws

APPLICATION: Metal to metal.

Metal to Metal



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46227	ISFD0075	#10 x 3/4" Flat Pan Head, Modified, #3 Square Recess Drive, Fine Thread, Self-Drilling Point, Yellow Zinc	NA	4M

Fits These Tools and Others...

DURASPIN

DS200-AC

TYREX

TY0100, TY0200, TY0300

GRABBER

SuperDrive 05 SERIES,
SuperDrive 55 SERIES,
SuperDrive 75 SERIES,
SuperDrive 80 SERIES (to 1-1/4"),
SuperDrive 85 SERIES

PAM

P13K



The screws with the Three-Squared recess provide superior bit fit.

Sheathing Screws

APPLICATIONS: Sheathing to light gauge steel or heavy gauge steel.

Sheathing to Light Gauge Steel



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46230	ISFSS8150C	#8x1-1/2" Flat Head, #2 Square Drive, Fine Thread, Sharp Point, Clear Zinc	1,000	6,000

Fits These Tools and Others...

DURASPIN

DS322-AC, DS300-AC, DS425-AC, DS200, DS200-AC, DS200-S2, DS200-S4, DS300, DS300-S2, DS300-S4

DURASPIN

DS212-18V, DS312-18V, DS162-14V, DS200-14V, DS202-14V, DS205-14V, DS275-18V, DS300-24V

TYREX

D404-14V, D550-18V, DCF5000, TY0200, TY5100, TY9000


GRABBER

SuperDrive 55 SERIES, SuperDrive 75 SERIES

PAM

P13K

Sheathing to Heavy Gauge Steel



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46235	ISWSW8162C	#8x1-5/8" Modified Wafer Head with Nibs, #2 Square Drive, Fine Thread, Winged Drill Point, Clear Zinc	1,000	6,000

Fits These Tools and Others...

DURASPIN

DS232-AC, DS322-AC, DS300-AC, DS425-AC, DS300-S2

DURASPIN

DS212-18V, DS312-18V, DS300-24V

TYREX

D550-18V, D600-AC, D600ATT, TY0300, TY5300

GRABBER

SuperDrive 55 SERIES, SuperDrive 75 SERIES

PAM

P13K

Underlayment Screws

APPLICATIONS: Cement backer board to wood.

Cement Backer Board to Wood



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46200	IS08T125W	#8x1-1/4" Flat Modified Wafer Head with Nibs, #2 Square Drive, High-Low Thread, Spoon Point, E-coating	1,000	6,000

Fits These Tools and Others...

DURASPIN

DS235-AC, DS232-AC, DS322-AC, DS300-AC, DS440-AC, DS425-AC, DS200, DS200-AC, DS200-S2, DS200-S4, DS300-S2,

DURASPIN

DS215-18V, DS212-18V, DS312-18V, DS200-14V, DS202-14V, DS275-18V, DS300-24V

TYREX

D404-14V, D550-18V, D600-AC, D600ATT, DCF5000, TY0200, TY0300, TY5300, TY9000

GRABBER

SuperDrive 55 SERIES, SuperDrive 75 SERIES, SuperDrive

PAM

P13K

SCREWS

Red highlighted items are Stainless Steel (SS) 304 Grade

Yellow highlighted items are Galvanized (G) ASTM A641

Sheathing Screws and Underlayment Screws

The tool pictures shown on page ISC-2 may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the tools. Use this information as a guideline only.

For information, contact your INTERCHANGE Brands representative.

INTERCHANGE

Decking Screws

APPLICATION: Wood or composite decking.

Trim Head - Wood or Composite with Wax Lube



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46205	IS08R250W	#8x2-1/2" Modified Trim Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, E-coating	800	4,800

Fits These Tools and Others...


DURASPIN	DURASPIN	TYREX	GRABBER	PAM
DS322-AC, DS300-AC, DS425-AC, DS300, DS300-S2, DS300-S4	DS312-18V, DS275-18V, DS300-24V	D550-18V, D600-AC, D600ATT, TY0300, TY5300	SuperDrive 75 SERIES	P13K, P13KDE, P13KUE

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46275	IS08R300W	#8x3" Modified Trim Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, E-coating	800	4,800

Fits These Tools and Others...

DURASPIN	DURASPIN	TYREX	GRABBER	PAM
DS322-AC, DS300-AC, DS425-AC, DS300, DS300-S2, DS300-S4	DDS312-18V, S300-24V	D550-18V, D600-AC, D600ATT, TY0300, TY5300	SuperDrive 75 SERIES	P13K, P13KDE, P13KUE

Composite Anti-Mushroom Head



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46240	IS08S250WGRY	#8x2-1/2" Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, Gray E-coating	800	4,800
46245	IS08S250WTAN	#8x2-1/2" Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, Tan E-coating	800	4,800
46250	IS08S250WRED	#8x2-1/2" Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, Red E-coating	800	4,800
46280	IS08S250WBRN	#8x2-1/2" Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, Brown E-coating	800	4,800

Fits These Tools and Others...

DURASPIN	DURASPIN	TYREX	GRABBER	PAM
DS322-AC, DS300-AC, DS425-AC, DS300, DS300-S2, DS300-S4	DDS312-18V, S300-24V	D600-AC, D600ATT, TY5300	SuperDrive 75 SERIES	P13K, P13KDE, P13KUE

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46190	IS08S300WGRY	#8x3" Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, Gray E-coating	800	4,800
46255	IS08S300WTAN	#8x3" Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, Tan E-coating	800	4,800
46260	IS08S300WRED	#8x3" Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, Red E-coating	800	4,800
46195	IS08S300WBRN	#8x3" Cupped Anti-Mushroom Pan Head, #2 Square Drive, Dual Threads-Coarse and Fine, Sharp Point, Brown E-coating	800	4,800

Fits These Tools and Others...

DURASPIN	DURASPIN	TYREX	GRABBER	PAM
DS322-AC, DS300-AC, DS425-AC, DS300, DS300-S2, DS300-S4	DDS312-18V, S300-24V	D600-AC, D600ATT, TY5300	SuperDrive 75 SERIES	P13K, P13KDE, P13KUE

For best results, Interchange Brands recommends that stainless steel fasteners be used for corrosion resistance in exterior use and for ACQ treated lumber applications.

Our E-coating fasteners meet or exceed the minimum requirements for coating weight and thickness as outlined in ASTM A641: Standard Specifications for Zinc-Coated (Galvanized) Carbon Steel Wire.

Wood or Composite Decking Screws

These INTERCHANGE screws are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

Decking Screws

APPLICATION: Wood to wood decking.

All Purpose Exterior Wood to Wood with Wax Lube



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46335	IS08D175W	#8x1-3/4" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, E-coating	1,000	6,000
46340	IS08D200W	#8x2" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, E-coating	1,000	6,000

Fits These Tools and Others...

DURASPIN	DURASPIN	TYREX	GRABBER	PAM
DS322-AC, DS300-AC, DS425-AC, DS200, DS200-AC, DS200-S2, DS200-S4, DS300, DS300-S2, DS300-S4,	DS312-18V, DS200-14V, DS202-14V, DS275-18V, DS300-24V	D550-18V, D600-AC, D600ATT, TY0300, TY5300	SuperDrive 55 SERIES, SuperDrive 75 SERIES	P13K, P13KDE, P13KUE

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46145	IS08D250W	#8x2-1/2" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, E-coating	800	4,800

Fits These Tools and Others...

DURASPIN	DURASPIN	TYREX	GRABBER	PAM
DS322-AC, DS300-AC, DS425-AC, DS300, DS300-AC, DS300-S2, DS300-S4	DS312-18V, DS275-18V, DS300-24V	D550-18V, D600-AC, D600ATT, TY0300, TY5300	SuperDrive 75 SERIES	P13K, P13KDE, P13KUE

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46150	IS08D300W	#8x3" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, E-coating	800	4,800

Fits These Tools and Others...

DURASPIN	DURASPIN	TYREX	GRABBER	PAM
DS322-AC, DS300-AC, DS425-AC, DS300, DS300-S2, DS300-S4,	DS312-18V, DS300-24V	D550-18V, D600-AC, D600ATT, TY0300, TY5300	SuperDrive 75 SERIES	P13K, P13KDE, P13KUE

Decking Screws - Stainless Steel

APPLICATION: Wood to wood decking.

All Purpose Exterior Wood to Wood with Wax Lube



ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46147	IS08D250S	#8x2-1/2" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, Stainless Steel	800	4,800

Fits These Tools and Others...

DURASPIN	DURASPIN	TYREX	GRABBER	PAM
DS322-AC, DS300-AC, DS425-AC, DS300, DS300-S2	DS312-18V, DS275-18V, DS300-24V	D550-18V, TY5300	SuperDrive 75 SERIES	P13K, P13KDE, P13KUE

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	QTY/BUCKET	QTY/CTN
46380	IS09D300S	#9x3" Flat Head, #2 Square Drive, Coarse 2/3 Waxed Thread, Type 17 Cut Point, Stainless Steel	800	4,800

Fits These Tools and Others...

DURASPIN	DURASPIN	TYREX	GRABBER	PAM
DS322-AC, DS300-AC, DS425-AC, DS300, DS300-S2	DS312-18V, DS300-24V, DS300-24V	D550-18V, TY0300	SuperDrive 75 SERIES	P13K, P13KDE, P13KUE

Wood-to-Wood Decking Screws

The tool pictures shown on page ISC-2 may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the tools. Use this information as a guideline only.

For information, contact your INTERCHANGE Brands representative.