


Heavy Wire Staples - 16 Gauge

APPLICATIONS: Cedar and shake shingles; subflooring; wall sheathing; roof decking; aluminum, steel and composition siding; lathing; bridging; component assembly and fencing.



INTERCHANGE
SN5016



SENCO
M1, M2, M2+



SENCO
SKS N12-N17, SKSXP-N



SENCO
SNS40, SNS41, SNS41XP, SNS44XP,
SNS45, SNS45XP, SNS50, SNS50XP



SENCO
SNS200XP,
SNS200XP-BST



HITACHI
N5008AA, N5008AB, N5008AC,
N5008AC2, N5008ACN, N5008AI,
N5008AC/P



MAX
TA551/16-11, TA551A/16-11



FASCO
F4P G-50, F45C G-55TL,
R3 CG-40CT, R4 PG-50CT



PORTER CABLE
MS200



SPOTNAILS
MS76-8651, XS76-8650, XS6650

7/16" Crown, 16 Gauge, Galvanized (unless specified otherwise)

(Similar to Senco N Series and ISM 100 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
34220	N08	7/16" Crown x 1/2" Leg	Chisel	70	10.0 M
34227	N10	7/16" Crown x 5/8" Leg	Chisel	70	10.0 M
34228	N11	7/16" Crown x 3/4" Leg	Chisel	70	10.0 M
34232	N12	7/16" Crown x 7/8" Leg	Chisel	70	10.0 M
34241	N13	7/16" Crown x 1" Leg	Chisel	70	10.0 M
34246	N14	7/16" Crown x 1-1/8" Leg	Chisel	70	10.0 M
34251	N15	7/16" Crown x 1-1/4" Leg	Chisel	70	10.0 M
34256	N16	7/16" Crown x 1-3/8" Leg	Chisel	70	10.0 M
34261	N17	7/16" Crown x 1-1/2" Leg	Chisel	70	10.0 M
34262	N17-SS	7/16" Crown x 1-1/2" Leg, Stainless Steel	Chisel	70	10.0 M
34265	N18	7/16" Crown x 1-5/8" Leg	Chisel	70	10.0 M
34271	N19	7/16" Crown x 1-3/4" Leg	Chisel	70	10.0 M
34272	N19-SS	7/16" Crown x 1-3/4" Leg, Stainless Steel	Chisel	70	10.0 M
34281	N21	7/16" Crown x 2" Leg	Chisel	70	10.0 M
34282	N21-SS	7/16" Crown x 2" Leg, Stainless Steel	Chisel	70	10.0 M

STAPLES

STANDARD: Staples are Galvanized Wire and Chisel Point unless otherwise specified.

Other Finishes:

Red	highlighted items are Stainless Steel (SS) 304 Grade
Gray	highlighted items are Heat Treated (HT) or High Carbon (HC)



Heavy Wire
Medium Crown Staples

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools. Use this information as a guideline only.

Heavy Wire Staples - 16 Gauge

APPLICATIONS: Cedar and shake shingles; subflooring; wall sheathing; roof decking; aluminum, steel and composition siding; lathing; bridging; component assembly and fencing.



BOSTITCH
S4



DUO-FAST
DS-7656P, DS-7664P



DUO-FAST
KS-7648, MS-7664E



DUO-FAST
SM-7648, SM-7664



MAKITA
AT1150A



MAX
TA551/76



PORTER CABLE
MS200



SPOTNAILS
7600, MS6650, MS6650i, MS76-8650i,
XS6650

7/16" Crown, 16 Gauge, Galvanized (Similar to Duo-Fast 7600 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
34341	7632	7/16" Crown x 1" Leg	Chisel	70	10.0 M
34351	7640	7/16" Crown x 1-1/4" Leg	Chisel	70	10.0 M
34361	7648	7/16" Crown x 1-1/2" Leg	Chisel	70	10.0 M
34371	7656	7/16" Crown x 1-3/4" Leg	Chisel	70	10.0 M
34381	7664	7/16" Crown x 2" Leg	Chisel	70	10.0 M



BOSTITCH
43854, 53854, 65054, 65054-1,
75054, 85054



SPOTNAILS
HL7616A, HL7616A(P), HS6616,
XS76-8650,

1/2" Crown, 16 Gauge, Galvanized (Similar to Bostitch BCS Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
34441	BCS1105	1/2" Crown x 1" Leg	Chisel	70	10.0 M
34451	BCS1107	1/2" Crown x 1-1/4" Leg	Chisel	70	10.0 M
34461	BCS1109	1/2" Crown x 1-1/2" Leg	Chisel	70	10.0 M
34471	BCS1111	1/2" Crown x 1-3/4" Leg	Chisel	70	10.0 M
34481	BCS1112	1/2" Crown x 2" Leg	Chisel	70	10.0 M



PASLODE
IM200-S16, MA-S16L, PA-200



PASLODE
3150-S16, 3200-S16P, S200-S16



HITACHI
NS5010A



FASCO
F45C GC/16-SS, F45C GS16-55-SS(CT),
R3C HD-40 VIL-SID

1/2" Crown, 16 Gauge, Galvanized (Similar to Paslode GS Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
34141	GS16-1	1/2" Crown x 1" Leg	Chisel	70	10.0 M
34151	GS16-114	1/2" Crown x 1-1/4" Leg	Chisel	70	10.0 M
34161	GS16-112	1/2" Crown x 1-1/2" Leg	Chisel	70	10.0 M
34171	GS16-134	1/2" Crown x 1-3/4" Leg	Chisel	70	10.0 M
34181	GS16-2	1/2" Crown x 2" Leg	Chisel	70	10.0 M

Heavy Wire
Medium Crown Staples

These INTERCHANGE staples are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

Heavy Wire Staples - 15 Gauge

APPLICATIONS: Cedar and shake shingles; subflooring; wall sheathing; roof decking; aluminum, steel and composition siding; lathing; bridging; component assembly and fencing.



SENCO
SQ555, SQ555XP



SPOTNAILS
MS6564

7/16" Crown, 15 Gauge, Galvanized (unless specified otherwise) (Similar to Senco Q Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
38255	Q15	7/16" Crown x 1-1/4" Leg	Chisel	57	5.0 M
38260	Q17	7/16" Crown x 1-1/2" Leg	Chisel	57	5.0 M
38270	Q19	7/16" Crown x 1-3/4" Leg	Chisel	57	5.0 M
38280	Q21	7/16" Crown x 2" Leg	Chisel	57	5.0 M
38285	Q23	7/16" Crown x 2-1/4" Leg	Chisel	57	5.0 M
38290	Q25	7/16" Crown x 2-1/2" Leg	Chisel	57	5.0 M

Heavy Wire
Medium Crown Staples

Air Hose

A complete line of high quality air hose:

Professional Grade Reinforced Polyurethane Air Hose

- Polyurethane Air Hose with 1/4" M-NPT Male Fittings
Available Packaged in Titanium, Orange or Green

Commercial Quality Thermoplastic PVC Air Hose

- Thermoplastic Air Hose with various fitting options
Available: Packaged or Bulk Reels

Self Storing Air Hose

- Nylon or Polyurethane with 1/4" or 3/8" M-NPT Male Swivel Fittings

Premium Quality Heavy Duty Rubber Air Hose

- Black Rubber Hose with 1/4" M-NPT Male Reusable Fittings
Available: Packaged or Bulk Reels
- Gray Rubber Push On Hose with various fitting options
Available: Packaged or Bulk Reels
- Red Rubber Air Hose with 1/4" or 3/8" M-NPT Male Fittings
Available: Packaged or Bulk Reels

DURA
by **INTERCHANGE** **FLX**
Professional Grade Hose



For more information on the Interchange Air Hose go to:
www.interchangebrands.com

The tool pictures may vary from actual tool.
The information in this catalog represents current information related to the compatibility of the fasteners and the pneumatic or cordless tools. Use this information as a guideline only.

INTERCHANGE

Heavy Wire Staples - 16 Gauge

APPLICATIONS: Asphalt shingles, roofing felt, foam sheathing, stucco, butt joining wood, lathing and insulation.



INTERCHANGE
SGWS5016



PASLODE
3150-W16, 3150-W16R, 3200-W16



PASLODE
MU-112-W16R, S150-W16R, S200-W16



HITACHI
N5021A



FASCO
F3C PSW-38R, R3C PSW-38CT,
R3C PSW-38CT Roof



OMER
WK.38



SPOTNAILS
XS2640, XS2650

15/16" Crown, 16 Gauge, Galvanized (Similar to Paslode GSW Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
36100	GSW16-58	15/16" Crown x 5/8" Leg	Chisel	70	10.0 M
36116	GSW16-34	15/16" Crown x 3/4" Leg	Chisel	70	10.0 M
36121	GSW16-78	15/16" Crown x 7/8" Leg	Chisel	70	10.0 M
36125	GSW16-1	15/16" Crown x 1" Leg	Chisel	70	10.0 M
36133	GSW16-114	15/16" Crown x 1-1/4" Leg	Chisel	70	10.0 M
36137	GSW16-112	15/16" Crown x 1-1/2" Leg	Chisel	70	10.0 M
36144	GSW16-134	15/16" Crown x 1-3/4" Leg	Chisel	70	5.0 M
36150	GSW16-2	15/16" Crown x 2" Leg	Chisel	70	5.0 M.



INTERCHANGE
SBCS5016



BOSTITCH
43852, 43852R, 43852R-1,
45052, 45052R



FASCO
F3C ATW-38, F3C ATW-38 TL Roof,
R3 ATW-38 Roof



OMER
WS.38



SPOTNAILS
HL1612A, HL1612AW, HL1616A, HL1620,
XS1640, XS1640RFH, XS1650

1" Crown, 16 Gauge, Galvanized (Similar to Bostitch BCS Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
36019	BCS1097	1" Crown x 3/4" Leg	Chisel	70	10.0 M
36021	BCS1098	1" Crown x 7/8" Leg	Chisel	70	10.0 M
36025	BCS1099	1" Crown x 1" Leg	Chisel	70	10.0 M
36033	BCS1101	1" Crown x 1-1/4" Leg	Chisel	70	10.0 M
36039	BCS1102	1" Crown x 1-1/2" Leg	Chisel	70	10.0 M
36044	BCS1116	1" Crown x 1-3/4" Leg	Chisel	70	5.0 M
36050	BCS1117	1" Crown x 2" Leg	Chisel	70	5.0 M

**Heavy Wire
Wide Crown Staples**

These INTERCHANGE staples are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations. Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

INTERCHANGE

Heavy Wire Staples - 16 Gauge

APPLICATIONS: Asphalt shingles, roofing felt, foam sheathing, butt joining wood, lathing and insulation.



INTERCHANGE
SP4016



SENCO
MW, MWXP, PW, PW-2", PW150, PW150R,
PW200, PW-R, SPS, SPS-RFR



SENCO
WC150XP, WC200XP



HITACHI
N3824A, N5024A, N5024A2



DUO-FAST
KW-1748, KWR-1748, RNS-1748,
RS-1748, SW-1748



FASCO
F3C SNW-38R, F3 SNW-38CTR,
F30 SNW-50R, R3C SNW-38TL,
R3 SNW-38CTR



MAKITA
AT2550A



OMER
WP.38



SPOTNAILS
HL1612AT, XS3640, XS3640LM,
XS3640RFH, XS3650

1" Crown, 16 Gauge, Galvanized (unless specified otherwise)

(Similar to Senco P Series and Duo-Fast 1700 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
36205	P06	1" Crown x 3/8" Leg	Chisel	70	10.0 M
36206	P08	1" Crown x 1/2" Leg	Chisel	70	10.0 M
36211	P10	1" Crown x 5/8" Leg	Chisel	70	10.0 M
36221	P11	1" Crown x 3/4" Leg	Chisel	70	10.0 M
36231	P12	1" Crown x 7/8" Leg	Chisel	70	10.0 M
36241	P13	1" Crown x 1" Leg	Chisel	70	10.0 M
36251	P15	1" Crown x 1-1/4" Leg	Chisel	70	10.0 M
36262	P17	1" Crown x 1-1/2" Leg	Chisel	70	10.0 M
36270	P19	1" Crown x 1-3/4" Leg	Chisel	70	5.0 M
36280	P21	1" Crown x 2" Leg	Chisel	70	5.0 M



Heavy Wire Staples - 14 Gauge

APPLICATIONS: Truss construction, crates, shipping containers and manufactured housing.



PASLODE
4150-W14



SPOTNAILS
MS2440

15/16" Crown, 14 Gauge

(Similar to Paslode GSW14 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/CTN
36105	GSW14-78	15/16" Crown x 7/8" Leg, High Carbon	Chisel	70	5.0 M

**Heavy Wire
Wide Crown Staples**

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic and cordless tools. Use this information as a guideline only.