

INTERCHANGE

Medium Wire Staples - 19 Gauge

APPLICATIONS: Cabinet building, underlayment, mouldings, aluminum and steel siding, soffit and fascia.



SENCO
SLS20-K, SLS20XP-K

1/4" Crown, 19 Gauge, Galvanized (Similar to Senco K Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30035	K08	1/4" Crown x 1/2" Leg	Chisel	84	5.0 M	60.0 M
30040	K10	1/4" Crown x 5/8" Leg	Chisel	84	5.0 M	60.0 M
30045	K11	1/4" Crown x 3/4" Leg	Chisel	84	5.0 M	60.0 M
30050	K12	1/4" Crown x 7/8" Leg	Chisel	84	5.0 M	60.0 M
30055	K13	1/4" Crown x 1" Leg	Chisel	84	5.0 M	60.0 M

Air Compressors



Model IECRI5

Item No. 69715

Electric Belt Drive Compressor



Model IGCR55

Item No. 69720

Gas Belt Drive Compressor

Interchange Brands warrants that their compressors will be free of defects in material and workmanship for a period of twelve months from the date of original purchase.



Model IECH15

Item No. 69710

Electric Compressor



Model IECH20

Item No. 69705

Electric Compressor



Model IECH25

Item No. 69700

Electric Compressor

For more information on the Interchange Air Compressors, go to:
www.interchangebrands.com

Medium Wire
Narrow Crown Staples

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools. Use this information as a guideline only.

Medium Wire Staples - 18 Gauge

APPLICATIONS: Cabinet building, underlayment, mouldings, aluminum and steel siding, soffit and fascia.



The tools shown on page IS-8 shoot both Standard L Staples and Industrial L Staples



INTERCHANGE
SL4018



SENCO
LN4450, KMN4450, KN4450, SKS-L,
SKS N4450, SKSXP-L



SENCO
FinishPro 2N1, SLS15, SLS20-L, SLS20XP-L,
SLS25-L, SLS25XP-L



SENCO
SLS18, SLS18MG



HITACHI
N3804, N3804A, N3804AB, N3804AB2,
N3804AB3, N3804AB3S



MAX
TA238/18-6, TA238A/18-6



DUO-FAST
BN-1832, DNS-1840, KB-1836, KG-1836,
KN-1848, KN-1848A, KN-1848F,
ST-18 (Manual-HIT), SURESHOT 1820, 1832,
1848, 1848F & 1848SL



FASCO
F2B 90-40 CT, F3C 90-40 LN, F20-40,
F20P 90/25, F20T 90-30 CT, F20T 90-40 CT,
F21T 90-40A, F21P 90-25A, F25A 90-40,
F26C 90-30 SS, F26C 90-40SS, R3C 90-40



MAKITA
AT638



PORTER CABLE
NS100 (to 1"), NS100A, NS100B, NS150,
NS150A, NS150B, NSS150



SPOTNAILS
HL3852, TRL3852, WS4840, WS4840W2,
WS4840LM, WS4840W5, 4800



SPOTNAILS
Striker TS4825, FS4825

1/4" Crown, 18 Gauge, Galvanized (unless specified otherwise)
(Similar to Senco L Series, Duo-Fast 1800 Series and European Type 90 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
32302	L06	1/4" Crown x 3/8" Leg	Chisel	79	5.0 M	80.0 M
32305	L08	1/4" Crown x 1/2" Leg	Chisel	79	5.0 M	80.0 M
32310	L10	1/4" Crown x 5/8" Leg	Chisel	79	5.0 M	60.0 M
32320	L11	1/4" Crown x 3/4" Leg	Chisel	79	5.0 M	60.0 M
32330	L12	1/4" Crown x 7/8" Leg	Chisel	79	5.0 M	60.0 M
32340	L13	1/4" Crown x 1" Leg	Chisel	79	5.0 M	45.0 M
32345	L14	1/4" Crown x 1-1/8" Leg	Chisel	79	5.0 M	40.0 M
32350	L15	1/4" Crown x 1-1/4" Leg	Chisel	79	5.0 M	40.0 M
32360	L17	1/4" Crown x 1-1/2" Leg	Chisel	79	5.0 M	30.0 M



Interchange Industrial Fasteners

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
32260	L06-I	1/4" Crown x 3/8" Leg	Chisel	104	5.0 M	60.0 M
32261	L08-I	1/4" Crown x 1/2" Leg	Chisel	104	5.0 M	60.0 M
32263	L10-I	1/4" Crown x 5/8" Leg	Chisel	104	5.0 M	60.0 M
32264	L11-I	1/4" Crown x 3/4" Leg	Chisel	104	5.0 M	50.0 M
32265	L12-I	1/4" Crown x 7/8" Leg	Chisel	104	5.0 M	50.0 M
32266	L13-I	1/4" Crown x 1" Leg	Chisel	104	5.0 M	40.0 M
32267	L14-I	1/4" Crown x 1-1/8" Leg	Chisel	104	5.0 M	30.0 M
32268	L15-I	1/4" Crown x 1-1/4" Leg	Chisel	104	5.0 M	30.0 M
32270	L17-I	1/4" Crown x 1-1/2" Leg	Chisel	104	5.0 M	30.0 M

Medium Wire Narrow Crown Staples

These INTERCHANGE staples are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

INTERCHANGE

Medium Wire Staples - 18 Gauge

APPLICATIONS: Cabinet building, underlayment, mouldings, aluminum and steel siding, soffit and fascia.



BOSTITCH
SX325X, SX325X-BHF-2, SX5035,
T28-5, T29-30, T31, T35-15,
T40SX-CT



BOSTITCH
SB150SX, SB150SX-HD, SB1565X,
SB2IN1, SL150



BOSTITCH
SX150, SX150-BHF, SX150-BHF2,
SX150K, SX150K-1, SX150K-2,
SX150LM, SX1838K



BOSTITCH
EHF1838K



OMER
90.38

7/32" Crown, 18 Gauge, Galvanized (Similar to Bostitch SX5035 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30210	SX5035-58	7/32" Crown x 5/8" Leg	Chisel	100	5.0 M	60.0 M
30220	SX5035-34	7/32" Crown x 3/4" Leg	Chisel	100	5.0 M	60.0 M
30230	SX5035-78	7/32" Crown x 7/8" Leg	Chisel	100	5.0 M	50.0 M
30240	SX5035-1	7/32" Crown x 1" Leg	Chisel	100	5.0 M	45.0 M
30245	SX5035-118	7/32" Crown x 1-1/8" Leg	Chisel	100	3.0 M	24.0 M
30248	SX5035-1316	7/32" Crown x 1-3/16" Leg	Chisel	100	3.0 M	24.0 M
30249	SX5035-114	7/32" Crown x 1-1/4" Leg	Chisel	100	3.0 M	24.0 M
30251	SX5035-138	7/32" Crown x 1-3/8" Leg	Chisel	100	3.0 M	24.0 M



PASLODE
2118-N18, 2125-N18, 3150-N18,
5150-N18



FASCO
F3 38-30 CT



SPOTNAILS
FS3820, TS3832

3/16" Crown, 18 Gauge, Galvanized (Similar to Paslode GSN Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
32110	GSN18-58	3/16" Crown x 5/8" Leg	Chisel	100	5.0 M	60.0 M
32120	GSN18-34	3/16" Crown x 3/4" Leg	Chisel	100	5.0 M	60.0 M
32130	GSN18-78	3/16" Crown x 7/8" Leg	Chisel	100	5.0 M	50.0 M
32140	GSN18-1	3/16" Crown x 1" Leg	Chisel	100	5.0 M	45.0 M
32145	GSN18-118	3/16" Crown x 1-1/8" Leg	Chisel	100	5.0 M	40.0 M
32150	GSN18-114	3/16" Crown x 1-1/4" Leg	Chisel	100	5.0 M	40.0 M
32160	GSN18-112	3/16" Crown x 1-1/2" Leg	Chisel	100	5.0 M	30.0 M

Air Accessories

DURA
by **INTERCHANGE** **FLO**
Professional Grade Air Accessories



Interchange Brands features a complete line of accessories for pneumatic tools and air equipment used in construction and industrial applications. Most of these air accessories are available in either bulk or retail packaging.

- Bushing Adapters
- Circle Clamps
- Coupler Plugs
- Coupler Plug Sets
- Crosses and Tees
- Gauges
- Filters
- Hex Manifolds
- Hex Manifold Kits
- Hex Nipples
- Hose Accessory Kits
- Hose Repair Kits
- Lubricators
- Reducer Bushings
- Regulators
- Regulator Repair Kits
- Three Way Manifold
- Three Way Manifold Kits and more!

For more information on the Interchange Air Accessories, go to:
www.interchangebrands.com

Medium Wire
Narrow Crown Staples

The tool pictures may vary from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools. Use this information as a guideline only.

INTERCHANGE

Medium Wire Staples - 18 Gauge

APPLICATIONS: Cabinet building, underlayment, mouldings, aluminum and steel siding, soffit and fascia.



3/8" Crown, 18 Gauge, Galvanized (Similar to Senco M and Duo-Fast W1800 Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
32416	M06	3/8" Crown x 3/8" Leg	Chisel	79	5.0 M	100.0 M
32405	M08	3/8" Crown x 1/2" Leg	Chisel	79	5.0 M	100.0 M
32411	M10	3/8" Crown x 5/8" Leg	Chisel	79	5.0 M	60.0 M
32415	M11	3/8" Crown x 3/4" Leg	Chisel	79	5.0 M	60.0 M
32417	M12	3/8" Crown x 7/8" Leg	Chisel	79	5.0 M	50.0 M
32420	M13	3/8" Crown x 1" Leg	Chisel	79	5.0 M	40.0 M
32422	M14	3/8" Crown x 1-1/8" Leg	Chisel	79	5.0 M	40.0 M
32425	M15	3/8" Crown x 1-1/4" Leg	Chisel	79	5.0 M	30.0 M
32430	M17	3/8" Crown x 1-1/2" Leg	Chisel	79	5.0 M	30.0 M

Medium Wire
Medium Crown Staples

Medium Wire Staples - 18 Gauge

APPLICATIONS: Screening, light trim and mouldings, picture frames, cabinet backing, weather stripping, insulation, roofing felt, upholstery, building paper and carpet and pad.



SENCO
F75

7/16" Crown, 18 Gauge, Galvanized (Similar to Senco J Series)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/CLIP	M/BOX	M/CTN
30415	J06	7/16" Crown x 3/8" Leg	Chisel	70	5.0 M	100.0 M
30070	J08	7/16" Crown x 1/2" Leg	Chisel	70	5.0 M	100.0 M
30075	J10	7/16" Crown x 5/8" Leg	Chisel	70	5.0 M	100.0 M

These INTERCHANGE staples are designed to fit the brands of tools shown. Not all tools accept the full range of fastener sizes listed. Refer to the tool model's specifications for the fastener size recommendations.

Additional sizes may be available.

Some of the items may be available by special order only.

For information, contact your INTERCHANGE Brands representative.

Oils & Lubricants

Interchange Brands lubricants for compressors and pneumatic tools are the highest quality available on the market. All sizes, except the gallon, are packed 12 bottles per carton. The gallon bottles are packed 4 bottles per carton.

- CEOQ 95500 4-Cycle engine oil, all-season, 32 oz. (quart)
- CPOQS 95510 Compressor pump oil, summer weight, 32 oz. (quart)
- CPOQW 95520 Compressor pump oil, winter weight, 32 oz. (quart)
- CPOGS 95515 Compressor pump oil, summer weight, 128 oz. (gallon)
- PTOHP 95540 Pneumatic tool oil, 8 oz. (half pint)
- PTOHPW 95545 Pneumatic tool oil, winter, 8 oz. (half pint)
- PTOQ 95550 Pneumatic tool oil, 32 oz. (quart)
- PTOG 95530 Pneumatic tool oil, 128 oz. (gallon)



For more information on the Interchange Oils and Lubricants go to: www.interchangebrands.com